



#### 1 EU-TYPE EXAMINATION CERTIFICATE

2 Component intended for use in Potentially Explosive Atmospheres Directive 2014/34/EU

3 Certificate Number: Sira 08ATEX9215U Issue: 8

4 Component: V34, V34I and V34IS Liquid Fuel Dispenser Nozzle

5 Applicant: The Husky Corporation

6 Address: 2325 Husky Way

**Pacific** 

Missouri 63069

USA

- 7 This component and any acceptable variation thereto are specified in the schedule to this certificate and the documents therein referred to.
- CSA Group Netherlands B.V. notified body number 2813 in accordance with Articles 17 and 21 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that this component has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of a component intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in the confidential reports listed in Section 14.2.

9 Compliance with the Essential Health and Safety Requirements, with the exception of those listed in the schedule to this certificate, has been assured by compliance with the following documents:

EN 13012:2021

EN ISO 80079-36:2016

- The sign 'U' is placed after the certificate number to indicate that the product assessed is a component and may be subject to further assessment when incorporated into equipment. Any limitations of use are listed in the schedule to this certificate.
- This EU-Type Examination Certificate relates only to the design and construction of the specified component. If applicable, further requirements of this Directive apply to the manufacture and supply of this component.
- 12 The marking of the component shall include the following:



II 1 G

EN 13012 Type I

Signed:

M Halliwell

Title:

**Director of Operations** 







## **SCHEDULE**

#### **EU-TYPE EXAMINATION CERTIFICATE**

Sira 08ATEX9215U Issue 8

#### 13 DESCRIPTION OF COMPONENT

The V34 Vapour Recovery Nozzles are intended for the automatic delivery of liquid fuel at flow-rate of up to 40 l/min. The main bodies are manufactured from cast aluminium with a separate aluminium delivery spout assembly at the front. At the front of the V34 Vapour Recovery Nozzles there is an entry hole for the attachment of the delivery spout assembly, which is secured via a locking nut. The main bodies are fitted with a trigger type, operating lever assembly that is protected by a guard formed by the cast body, this assembly directly actuates an internal valve to control the delivery of fuel. The main bodies also contain an attitude sensing device and an over-fill cut-off device. The rear of the main bodies have a female-threaded, M34 x 1.5, entry hole to allow a suitable, liquid fuel, delivery hose assembly to be attached.

#### **Design options**

- The spout may have an additional vapour recovery sleeve fitted (V34I and V34IS only).
- The main body may be fitted with a Vapour Splash Guard.
- The main body may be fitted with a Full Grip Guard or Reguard.
- The lever assembly may be fitted with a Lever Cover.

## Variation 1 - This variation introduced the following change:

i. To recognise the introduction of a 'Double Poppet' variant.

#### Variation 2 - This variation introduced the following changes:

 The recognition of minor drawing modifications; these amendments are administrative or involve changes to the design that do not affect the aspects of the product that are relevant to explosion safety.

## Variation 3 - This variation introduced the following change:

i. Following appropriate assessment to demonstrate compliance with the latest technical knowledge, EN 13012:2001 and EN 13463-1:2001 were replaced by EN 13012:2012 and EN 13463-1:2009.

## Variation 4 - This variation introduced the following change:

i. The introduction of two types of nozzles with a moulded hand guard (keel) and a moulded lever, both are made from a non-metallic material.

# Variation 5 - This variation introduced the following changes:

- i. The introduction of the "tilt" poppet modification to the range of Liquid Fuel Dispenser Nozzles.
- ii. The drawings were updated in a new drawing package to show "tilt" poppet modification and to replace existing drawings: V34\_ATEX replaces drawings: 004132A, 007288A and 007426A. V34I\_ATEX replaces drawings: 006551A, 007289A, 007427A & 008201A. V34IS\_ATEX replaces drawings: 006606A, 007312A & 007428A.

#### Variation 6 - This variation introduced the following change:

i. Introduction of Part No 013835 – Poppet Stem Bushing, and replacement of Part No 000020 – Packing Seal, with Part No 012080 – Short Packing Seal.

## Variation 7 - This variation introduced the following change:

i. Standards upgraded to the latest versions.

DQD 544.10 Issue Date: 2022-04-14 Page 2 of 3





# **SCHEDULE**

## **EU-TYPE EXAMINATION CERTIFICATE**

Sira 08ATEX9215U Issue 8

#### 14 DESCRIPTIVE DOCUMENTS

## 14.1 Drawings

Refer to Certificate Annexe.

# 14.2 Associated Reports and Certificate History

Issue	Date	Report number	Comment
0	23 November 2009	R18076A	The release of the prime certificate.
1	10 June 2010	R21981A/00	The introduction of Variation 1.
2	30 May 2013	R27626A/00	The introduction of Variation 2.
3	04 June 2015	R70024215A	The introduction of Variation 3.
4	13 November 2015	R70036568A	The introduction of Variation 4.
5	08 August 2017	R70128301A	This Issue covers the following changes:
			<ul> <li>EC-Type Examination Certificate in accordance with 94/9/EC updated to EU-Type Examination Certificate in accordance with Directive 2014/34/EU. (In accordance with Article 41 of Directive 2014/34/EU, EC-Type Examination Certificates referring to 94/9/EC that were in existence prior to the date of application of 2014/34/EU (20 April 2016) may be referenced as if they were issued in accordance with Directive 2014/34/EU. Variations to such EC-Type Examination Certificates may continue to bear the original certificate number issued prior to 20 April 2016.)</li> <li>The introduction of Variation 5.</li> </ul>
6	31 October 2019	0820	Transfer of certificate Sira 08ATEX9215U from Sira
			Certification Service to CSA Group Netherlands B.V
7	20 December 2023	R80180941A	The introduction of Variation 6.
8	10 June 2024	R80205645A	The introduction of Variation 7.

## 15 SCHEDULE OF LIMITATIONS

None

# 16 ESSENTIAL HEALTH AND SAFETY REQUIREMENTS OF ANNEX II (EHSRs)

The relevant EHSRs that are not addressed by the standards listed in this certificate have been identified and individually assessed in the reports listed in Section 14.2.

## 17 CONDITIONS OF MANUFACTURE

- 17.1 The use of this certificate is subject to the Regulations Applicable to Holders of CSA Group Netherlands B.V. certificates.
- 17.2 Holders of EU-Type Examination Certificates are required to comply with the conformity to type requirements defined in Article 13 of Directive 2014/34/EU.
- 17.3 Each V34 Vapour Recovery Fuel Dispenser Nozzle will be subject to the routine testing as described in clause 7, B.9, B.11, B.12 and B.13 of EN 13012:2021.

Project Number 80205645
This certificate and its schedules may only be reproduced in its entirety and without change CSA Group Netherlands B.V. Utrechtseweg 310, Building B42, 6812AR Arnhem, The Netherlands

DQD 544.10 Issue Date: 2022-04-14 Page 3 of 3

# **Certificate Annexe**

Certificate Number: Sira 08ATEX9215U

Component: V34, V34I and V34IS Liquid Fuel Dispenser Nozzle

Applicant: The Husky Corporation

#### Issue 0


Drawing No.	Sheets	Rev.	Date (Sira stamp)	Title
V34_ATEX	1 of 1	0	02 Nov 09	V34 ATEX Assemblies
O-RING*	1 of 1	7	19 Jun 09	O-Rings
000010	1 of 1	10	19 Jun 09	Seal, Poppet, .937, .090 Viton®
000011	1 of 1	7	19 Jun 09	Poppet seal Holder, Molded
000020	1 of 1	12	19 Jun 09	Seal, Packing
000022	1 of 1	5	19 Jun 09	Ball <sup>3</sup> / <sub>16</sub>
000520	1 of 1	4	19 Jun 09	Ring Retaining, C, Ext, 1000-25
002001	1 of 1	8	19 Jun 09	Venturi, 1+10
002003	1 of 1	11	19 Jun 09	Plate, Latch, 1+10
002012	1 of 1	10	19 Jun 09	Seal, Spout, Buna-N
002018	1 of 1	4	19 Jun 09	Ring Ret, Bvld, Int, VHO—112ST ZD S
002020	1 of 1	5	19 Jun 09	Pin, Lever, .186, .781, ZP
002027	1 of 1	2	19 Jun 09	Cap, Body, 1+10, Machined
002029	1 of 1	6	19 Jun 09	Nut, Spout, Vapor, Machined
002037	1 of 1	7	19 Jun 09	Nut, Packing, 1+10
002061	1 of 1	6	19 Jun 09	Spring, Packing, .500 X .400 X .048
002067	1 of 1	2	19 Jun 09	Ring Ret, Bvld, Int, VHO-193ST ZD S
002174	1 of 1	11	19 Jun 09	Check Valve, 10S, Unlead, .725
002184	1 of 1	1	19 Jun 09	Plug, Freeze, .750
002624	1 of 1	7	19 Jun 09	Ring Seal, Plunger, 1+5 Mach
002926	1 of 1	1	19 Jun 09	Plate, Latch, GPI
003110	1 of 1	3	19 Jun 09	Spring, Check Valve, 1+10, N/S
003267	1 of 1	4	19 Jun 09	Attitude Support Assembly
003987	1 of 1	3	19 Jun 09	Spring, Main, V34
003991	1 of 1	8	19 Jun 09	Plunger, Vapor
004021	1 of 1	6	19 Jun 09	Spout Assy, Unl, Std, V34, 6250
004044	1 of 1	2	19 Jun 09	Ring Retaining, M34
004189	1 of 1	7	19 Jun 09	Poppet, V34, (6250)
004344	1 of 1	4	19 Jun 09	Packing Top, White Delrin®
004472	1 of 1	1	19 Jun 09	Washer, Packing Gland
004603	1 of 1	7	19 Jun 09	Cap, Pressure, Flat Diaphragm
004607	1 of 1	2	19 Jun 09	Diaphragm, Flat Diaphragm
004752	1 of 1	0	19 Jun 09	Check Valve Seat, Assembly, V34
004831	1 of 1	2	19 Jun 09	Spring, Diaphragm, 1+5
005174	1 of 1	2	19 Jun 09	Bushing, Plunger, 5/V34
005268	1 of 1	3	19 Jun 09	Stem, 1A3N/S
005269	1 of 1	1	19 Jun 09	Stem, Pad
005349	1 of 1	1	19 Jun 09	Washer, V34, Vapor Valve
005535	1 of 1	0	19 Jun 09	Valve Assy, Vapor, V34
005687	1 of 1	3	19 Jun 09	Sleeve, Flat Diaphragm, V34
005701	1 of 1	1	19 Jun 09	Spring, Vapor Valve, V34
005762	1 of 1	0	19 Jun 09	Spring, Plunger, V34
005949	1 of 1	1	19 Jun 09	Spring, Flat Diaphragm 10S
005951	1 of 1	1	19 Jun 09	Slide, Flat Diaphragm
005955	1 of 1	2	19 Jun 09	Wheel, NPNF
005956	1 of 1	3	19 Jun 09	Piston, Flat Diaphragm
003730	1 01 1	J	17 Juli U7	i istori, i iat Diapriragili

# **Certificate Annexe**

Certificate Number: Sira 08ATEX9215U

Component: V34, V34I and V34IS Liquid Fuel Dispenser Nozzle

Applicant: The Husky Corporation



<sup>\*</sup> This drawing is removed at Issue 2.

#### Issue 1

Drawing	Sheets	Rev.	Date (Sira Stamp)	Title
005366	1 of 1	1	07 Apr 10	Support, Inner, Double Poppet
005367	1 of 1	1	07 Apr 10	Poppet Holder, Double 1+10
005370	1 of 1	1	07 Apr 10	Seal, Inner, Double Poppet
005386	1 of 1	-	07 Apr 10	Poppet Assy, 1+10, Double
005681	1 of 1	0	07 Apr 10	Skirt, Double Poppet, V34
005682	1 of 1	1	07 Apr 10	Stem, Double Poppet, V34
005685	1 of 1	0	07 Apr 10	Stem Assy, V34, Double Poppet
007323	1 of 1	0	07 Apr 10	Skirt, Double Poppet, V341A
HI_FLOW_DBL_POPT	1 of 1	Α	07 Apr 10	Double Poppet, High Flow
STNDRD_DBL_POPT	1 of 1	Α	07 Apr 10	Double Poppet, Standard
V34-ATEX	1 of 1	Α	07 Apr 10	V34 Atex Assemblies

#### Issue 2


Drawing No.	Sheets	Rev.	Date (Sira stamp)	Title
V34-ATEX	1 of 1	2	12 Apr 13	V34 Atex Assemblies
000011	1 of 1	8	09 Aug 12	Poppet seal Holder, Molded
002001	1 of 1	9	09 Aug 12	Venturi, 1+10
002003	1 of 1	13	09 Aug 12	Plate, Latch, 1+10
002027	1 of 1	5	09 Aug 12	Cap, Body, 1+10, Machined
002029	1 of 1	7	09 Aug 12	Nut, Spout, Vapor, Machined
002174	1 of 1	12	09 Aug 12	Check Valve, 10S, Unlead, .725
002926	1 of 1	2	09 Aug 12	Plate, Latch, GPI
004021	1 of 1	9	09 Aug 12	Spout Assy, Unl, Std, V34, 6250
005951	1 of 1	6	09 Aug 12	Slide, Flat Diaphragm
005955	1 of 1	3	09 Aug 12	Wheel, NPNF
005956	1 of 1	4	09 Aug 12	Piston, Flat Diaphragm
006757	1 to 2	39	12 Apr 13	Body, V34, Machining
005366	1 of 1	3	09 Aug 12	Support, Inner, Double Poppet
005367	1 of 1	3	09 Aug 12	Poppet Holder, Double 1+10
005370	1 of 1	2	09 Aug 12	Seal, Inner, Double Poppet
005386	1 of 1	1	09 Aug 12	Poppet Assy, 1+10, Double
005681	1 of 1	1	09 Aug 12	Skirt, Double Poppet, V34
005682	1 of 1	2	09 Aug 12	Stem, Double Poppet, V34
005685	1 of 1	1	09 Aug 12	Stem Assy, V34, Double Poppet
007323	1 of 1	1	09 Aug 12	Skirt, Double Poppet, V341A
004132A	1 of 1	1	08 Apr 13	NOZL, V34, UNL, 6250, ATEX
004951	1 of 1	3	08 Apr 13	Nut, Spout, 3NI, Machined

# **Certificate Annexe**

Certificate Number: Sira 08ATEX9215U

Component: V34, V34I and V34IS Liquid Fuel Dispenser Nozzle

Applicant: The Husky Corporation



Issue 3 - No new drawings were introduced.

#### Issue 4

Drawing	Sheets	Rev.	Date (Sira stamp)	Description
007281	1 of 1	4	26 Oct 15	Lever, Plastic
008972	1 to 2	0	26 Oct 15	Body, Casting, Machined
008007	1 of 1	0	26 Oct 15	Lever, 10, EZ, Main
008974	1 of 1	D	26 Oct 15	Hand guard, X, Intl, Posts
008975	1 of 1	D	26 Oct 15	Hand guard, X, Intl
008980	1 of 1	Н	26 Oct 15	Hand guard, X, Gilbarco
010179	1 of 1	Α	26 Oct 15	Hand guard, X, Intl assy
010182	1 of 1	В	26 Oct 15	Hand guard, X, Gilbarco, Mag Assy
011404	1 of 1	.A	26 Oct 15	Hand guard, X, Tok.
011636	1 of 1	Α	26 Oct 15	Hand guard, X, Intl Assy, WMHG
011785	1 of 1	В	26 Oct 15	Hand guard, X, Gilbarco, Non Mag Assy
011793	1 of 1	Α	26 Oct 15	Hand guard, X, Intl Assy, WHG

# Issue 5

Drawing	Sheets	Rev.	Date (Sira Stamp)	Title
V34_ATEX	1 to 2	0	03 Aug 17	V34 ATEX Cert Drawing
V34I_ATEX	1 to 2	0	03 Aug 17	V34I ATEX Cert Drawing
V34IS_ATEX	1 to 2	0	03 Aug 17	V34IS ATEX Cert Drawing

Issue 6 - No new drawings were introduced.

## Issue 7

Drawing	Sheets	Rev.	Date (Stamp)	Title
V34_ATEX	1 to 2	3	10 Dec 23	V34 ATEX CERT DRAWING
V34I_ATEX	1 to 2	3	10 Dec 23	V34I ATEX CERT DRAWING
V34IS_ATEX	1 to 2	3	10 Dec 23	V34IS ATEX CERT DRAWING
008972	1 to 2	9	14 Dec 23	BODY, V34, PHG, MACINED
012080	1 of 1	1	14 Dec 23	SEAL, PACKING, SHORT
013835	1 of 1	2	14 Dec 23	BUSHING, PACKING

Issue 8 - No new drawings were introduced.